Stantec UK Limited
Seventh Floor, White Building
1-4 Cumberland Place
Southampton SO15 2NP
UNITED KINGDOM

29 October 2026

Project/File: 332710307

Dorchester Living
Simon Fry
Heyford Park House
52 Camp Road
Heyford Park
OX25 5DH

Dear Simon Fry,

Reference: 332710307 - Heyford Park PFAS Soil Sampling Letter Report – Private Gardens and Public Open Space

1 Introduction

Stantec UK Limited (Stantec) was appointed by Dorchester Living (the Client) to undertake a programme of shallow soil sampling and laboratory testing for per- and polyfluoroalkyl substances (PFAS) at Heyford Park (the site). The work supplements the initial groundwater and surface-water sampling programme completed in August 2026 and provides additional information on the presence and distribution of PFAS in shallow soils across selected gardens and areas of public open space, including former military accommodation and new build homes along the Camp Road development area.

This letter report summarises the soil sampling and testing undertaken between 28 September and 1 October 2026, presents the principal findings from the laboratory results received to date, and identifies matters requiring further assessment.

2 Works Undertaken

The fieldwork was undertaken between 28 September and 1 October 2026. The intrusive scope comprised 17no hand-excavated pits terminating at depths between 0.3m and 0.6m bgl. Utility clearance and surveying was undertaken at every location prior to breaking ground.

The sampling was completed with strict adherence to Stantec's internal soil sampling protocols which are based on prevailing UK and international best practices. This includes use of appropriate sample containers and sampling equipment, decontamination procedures using laboratory grade PFAS free water, and the use of appropriate PPE, clothing and hygiene to avoid cross contamination.

A summary of the samples taken is provided in Table 2.1 below.

Table 2-1. Summary of soil samples.

Exploratory Hole Reference	Location / Area	Rationale
PG101 to PG108	Private gardens within completed development areas.	Assess shallow soils within selected private gardens to determine if imported soils contain elevated concentrations of PFAS.
POS101 to POS109	Public open space and completed development areas.	Assess shallow soils within areas of public open space to determine if site won soils contain elevated concentrations of PFAS.

A plan showing the sampling locations (332710307-STN-XX-XX-DR-GE-0008) is provided in Appendix A.

During sampling, a number of quality assurance/control samples were taken to determine if cross-contamination of the samples had occurred that could have had a detrimental effect on the laboratory reported sample results. A summary of the quality control samples is provided in Table 2-2.

Table 2-2. Summary of quality control samples.

Sample Reference	Corresponding original sample
Duplicate samples	
Duplicate 05	PG107 at 0.1m
Duplicate 06	POS103 at 0.25m
Duplicate 10	POS106 at 0.5m
Equipment Blanks	
HP Equipment Blank 28/9/2026	-
HP Equipment Blank 02 29/9/2026	-
HP Equipment Blank 03 30/9/2026	-
HP Equipment Blank 04 1/10/2026	-

All samples were submitted to an UKAS accredited laboratory for analysis for a suite of 51 individual target PFAS compounds.

3 Soil Sampling Results

3.1 Quality Assurance Samples

The Stantec QA samples demonstrated generally comparable PFAS concentrations across the three duplicate sample pairs. Differences between duplicate results were observed in some samples, particularly where concentrations were close to the laboratory reporting limits, which is considered consistent with the heterogeneous nature of soils and normal sample and analytical variability.

PFAS was not recorded above the laboratory limit of detection in the equipment blanks, indicating good sampling and handling procedures and confidence in the results obtained from the soil samples.

A summary of the PFAS concentrations for the duplicate samples for the three most dominant individual PFAS is provided in Table 3.1 below.

Table 3-1. Summary of duplicate sample results.

Sample Reference	PFOS concentration (µg/kg)	PFOA concentration (µg/kg)	PFHxS concentration (µg/kg)
Duplicate 05	3.08	ND	1.06
PG107 at 0.1m	4.43	ND	1.40
Duplicate 06	2.63	ND	ND
POS103 at 0.25m	3.07	ND	ND
Duplicate 10	ND	ND	ND
POS106 at 0.5m	ND	ND	ND

The results indicate similar PFAS concentrations between the actual and duplicate sample, indicating limited variability in the in-field sampling.

3.2 Stantec Results

3.2.1 Assessment thresholds

There are currently no statutory PFAS soil assessment criteria in England and Wales. For this assessment, the selected interim CL:AIRE Category 4 Screening Levels (C4SLs) for PFOS, PFOA, PFHxS and PFNA have been adopted as risk-based screening values for the relevant residential and public open space (residential) land-use scenarios. The selected values provide a consistent basis for identifying concentrations that may warrant further assessment. They are not statutory remediation targets, and the results are interpreted alongside contaminant distribution, potential source areas and the wider conceptual site model.

For each sample and land-use scenario, an individual hazard quotient was calculated for each of the four PFAS by dividing the measured concentration by the corresponding C4SL.

The derived Hazard Index (HI) was then calculated as the sum of the individual hazard quotients for PFOS, PFOA, PFHxS and PFNA. A Hazard Index greater than 1 indicates that the combined screening threshold has been exceeded and that further assessment may be required; it does not, in isolation, demonstrate that an unacceptable risk is present.

3.2.2 Public Open Space Samples

PFOS, PFOA and PFHxS concentrations recorded within the Public Open Space soil samples were either recorded below the laboratory limit of detection (LOD) or below the $POS_{residential}$ assessment criteria of 0.079mg/kg for each total compound.

The highest PFOS concentration was recorded in sample POS105 at 0.1m bgl, at 0.0115mg/kg. This was followed by POS102 at 0.1m bgl (0.0089mg/kg), POS105 at 0.3m bgl (0.00681mg/kg), POS104 at

0.5m bgl (0.00609mg/kg), POS101 at 0.1m bgl (0.00581mg/kg) and POS104 at 0.3m bgl (0.00481mg/kg).

Where recorded above the LOD, PFOS represented the most dominant compound. Sporadic detections of PFHxS, PFBA, PFPeA and FHxSA were also reported.

The results indicate widespread low-level PFAS occurrence within the investigated public open space areas, below the current C4SLs. The HI for all samples was also below <1.0.

3.2.3 Private Garden Samples

PFAS concentrations recorded within the private garden soil samples were either recorded below the LOD or below the residential (with consumption of homegrown produce) assessment criteria for PFOS, PFOA, PFHxS and PFNA.

Where recorded above the LOD, PFOS represented the most dominant compound. The highest PFOS concentration was recorded in sample PG107 at 0.2m bgl, at 0.00476mg/kg. This was followed by PG107 at 0.1m bgl (0.00443mg/kg), PG102 at 0.05m bgl (0.00358mg/kg), PG102 at 0.2m bgl (0.00279mg/kg), PG105 at 0.05m bgl (0.00212mg/kg), PG108 at 0.1m bgl (0.00190mg/kg) and PG106 at 0.1m bgl (0.00183mg/kg).

In addition to PFOS, sporadic detections of PFHxS, PFOA and PFBA were reported. PFHxS was detected in PG107 at 0.1m bgl (0.00140mg/kg) and PG106 at 0.5m bgl (0.00108mg/kg). PFOA was detected in sample PG105 at 0.05m bgl (0.00106mg/kg), while PFBA was detected in sample PG107 at 0.1m bgl (0.00118mg/kg). These compounds were present at concentrations close to the laboratory reporting limits and were generally lower than the corresponding PFOS concentrations.

The results indicate widespread low-level PFAS occurrence within the investigated private gardens, below the current C4SLs. The HI for all samples was also below <1.0.

4 Conclusions

From the initial soil sampling undertake to date by Stantec, low levels of PFAS (primarily PFOS) have generally been recorded below the relevant screening criteria for either a residential (with consumption of homegrown produce) or a Public Open Space (residential) end use with the existing developed areas of the site. In the majority of samples, PFAS concentrations were not recorded above the laboratory limit of detection.

Yours sincerely,

Stantec UK Limited

Helen Gardiner MSci CEnv MIEnvSc
Principal Geo-Environmental Consultant
Phone: +44 2382 687194
Mobile: +44 7721 535957
helen.gardiner@stantec.com

Simon Cole BEng(Hons) PhD CEnv CWEM MCIWEM ASoBRA
Technical Director
Phone: +44 292 2946386
Mobile: +44 7423 090488
Simon.Cole@stantec.com

stantec.com/uk

Appendices

Appendix A Drawings

N

Mudginwell Farm

Cross Roads Farm

Kennel Copse

Somerton Rd

Kirklington Rd

Upper Hayford

The Heath

Ashgro

Soil Samples

- Private gardens - currently vacant
- Public open space around development

POS101
POS102
POS103
POS104
POS105
POS106
POS107
POS108
POS109

PG101
PG102
PG103
PG104
PG105
PG106
PG107
PG108

Stantec	Client: Dorchester Living	Soil Sample Location Plan (Public Open Space and Private Gardens) 332710307-STN-XX-XX-DR-GE-0008	0 250 500 1,000 m Contains OS data © Crown Copyright and database right 2026. Contains data from OS Zoomstack	1:10,000 @ A3	Date: 29/10/2026
				Drawn: TH	Checked: HG
				Figure: 1 of 1	Rev: A

Appendix B Laboratory Results

TEST REPORT

Report Number: 2026-5242

Customer Name :	Stantec UK Limited
Customer Address :	Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number :	ER0040716
Additional Reference:	-
Issue :	0
Date of Receipt :	30/09/2026
Date of Analysis :	01/10/2026
Date of Report :	06/10/2026
Sample Type :	Soil
Customer Sample Identifier :	PG106 @ 0.1 28/09/2026
Sample Condition :	Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5242
Customer Sample Identifier : PG106 @ 0.1 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA ^	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5242
Customer Sample Identifier : PG106 @ 0.1 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	1.83
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	1.83
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5243

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG106 @ 0.5 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5243
Customer Sample Identifier : PG106 @ 0.5 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA ^	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	1.08
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	1.08
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5243
Customer Sample Identifier : PG106 @ 0.5 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA) ^	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5244

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG105 @ 0.05 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5244
Customer Sample Identifier : PG105 @ 0.05 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA ^	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE ^	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5244
Customer Sample Identifier : PG105 @ 0.05 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	1.06
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	1.06
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	2.12
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	2.12
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5245

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG105 @ 0.2 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5245
Customer Sample Identifier : PG105 @ 0.2 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE ^	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA ^	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5245
Customer Sample Identifier : PG105 @ 0.2 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	1.37
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	1.37
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5246

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG104 @ 0.1 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5246
Customer Sample Identifier : PG104 @ 0.1 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE ^	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA ^	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE ^	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5246
Customer Sample Identifier : PG104 @ 0.1 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear ^	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA) ^	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5247

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG104 @ 0.3 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5247
Customer Sample Identifier : PG104 @ 0.3 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5247
Customer Sample Identifier : PG104 @ 0.3 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5248

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG104 @ 0.35 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5248
Customer Sample Identifier : PG104 @ 0.35 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA ^	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5248
Customer Sample Identifier : PG104 @ 0.35 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5249

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG103 @ 0.05 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5249
Customer Sample Identifier : PG103 @ 0.05 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5249
Customer Sample Identifier : PG103 @ 0.05 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

TEST REPORT

Report Number: 2026-5250

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG103 @ 0.2 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5250
Customer Sample Identifier : PG103 @ 0.2 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5250
Customer Sample Identifier : PG103 @ 0.2 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5251

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG103 @ 0.4 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5251
Customer Sample Identifier : PG103 @ 0.4 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5251
Customer Sample Identifier : PG103 @ 0.4 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	1.32
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	1.32
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5252

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG101 @ 0.1 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5252
Customer Sample Identifier : PG101 @ 0.1 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5252
Customer Sample Identifier : PG101 @ 0.1 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5253

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG101 @ 0.3 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5253
Customer Sample Identifier : PG101 @ 0.3 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5253
Customer Sample Identifier : PG101 @ 0.3 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5254

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG102 @ 0.05 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5254
Customer Sample Identifier : PG102 @ 0.05 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5254
Customer Sample Identifier : PG102 @ 0.05 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	3.58
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	3.58
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5255

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG102 @ 0.2 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5255
Customer Sample Identifier : PG102 @ 0.2 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5255
Customer Sample Identifier : PG102 @ 0.2 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	2.79
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	2.79
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

TEST REPORT

Report Number: 2026-5256

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG102 @ 0.4 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5256
Customer Sample Identifier : PG102 @ 0.4 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5256
Customer Sample Identifier : PG102 @ 0.4 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5257

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG107 @ 0.1 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5257
Customer Sample Identifier : PG107 @ 0.1 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	1.18
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	1.4
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	1.4
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5257
Customer Sample Identifier : PG107 @ 0.1 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	4.43
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	4.43
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5258

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG107 @ 0.2 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5258
Customer Sample Identifier : PG107 @ 0.2 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5258
Customer Sample Identifier : PG107 @ 0.2 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	3.72
PFOS Branched #	1	µg/kg	1.04
PFOS Total #	1	µg/kg	4.76
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5259

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG107 @ 0.4 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5259
Customer Sample Identifier : PG107 @ 0.4 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5259
Customer Sample Identifier : PG107 @ 0.4 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	1.06
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	1.06
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5260

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 02/10/2026
Date of Report : 06/10/2026
Sample Type : Misc. Water
Customer Sample Identifier : HP EQUIPMENT BLANK 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

Results PFAS

Sample Type : Misc. Water
Test Report Number : 2026-5260
Customer Sample Identifier : HP EQUIPMENT BLANK 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	2	ng/l	ND
4:2 FTSA; 4:2 FTS	1	ng/l	ND
PFecHS	1	ng/l	ND
5:3 FTCA	2	ng/l	ND
6:2 FTSA; 6:2 FTS	1	ng/l	ND
7:3 FTCA	2	ng/l	ND
8:2 FTSA; 8:2 FTS ^	1	ng/l	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	ng/l	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	ng/l	ND
DONA; ADONA	1	ng/l	ND
EtFOSE	1	ng/l	ND
FBSA	1	ng/l	ND
FHxSA	1	ng/l	ND
HFPO-DA (Gen X)	1	ng/l	ND
HFPO-TA	1	ng/l	ND
EtFOSA; N-EtFOSA ^	1	ng/l	ND
NEtFOSAA; EtFOSAA	1	ng/l	ND
NFDHA	1	ng/l	ND
MeFOSA; N-MeFOSA ^	1	ng/l	ND
NMeFOSAA; MeFOSAA	1	ng/l	ND
MeFOSE	1	ng/l	ND
PFBA	1	ng/l	ND
PFBS	1	ng/l	ND
PFDA	1	ng/l	ND
PFDoA	1	ng/l	ND
PFDoS	1	ng/l	ND
PFDS	1	ng/l	ND
PFEESA	1	ng/l	ND
PFHpA	1	ng/l	ND
PFHpS	1	ng/l	ND
PFHxA	1	ng/l	ND
PFHxDA	1	ng/l	ND
PFHxS Linear	1	ng/l	ND
PFHxS Branched	1	ng/l	ND
PFHxS Total	1	ng/l	ND
PFMOBA	1	ng/l	ND
PFMOPrA	1	ng/l	ND
PFNA	1	ng/l	ND
PFNS	1	ng/l	ND

Results PFAS

Sample Type : Misc. Water
Test Report Number : 2026-5260
Customer Sample Identifier : HP EQUIPMENT BLANK 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	ng/l	ND
PFOA Branched	1	ng/l	ND
PFOA Total	1	ng/l	ND
PFODA	1	ng/l	ND
PFOS Linear	1	ng/l	ND
PFOS Branched	1	ng/l	ND
PFOS Total	1	ng/l	ND
FOSA (PFOSA)	1	ng/l	ND
PFPeA	1	ng/l	ND
PFPeS	1	ng/l	ND
PFTeA	1	ng/l	ND
PFTrDA (PFTriA)	1	ng/l	ND
PFUdA; PFUnA	1	ng/l	ND
PFUnDS	1	ng/l	ND
PFTrDS	5	ng/l	ND
8:2 diPAP	5	ng/l	ND
6:2 FTAB	5	ng/l	ND
FOUEA	5	ng/l	ND

ND - not detected

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5261

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : POS109 @ 0.25 29/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5261
Customer Sample Identifier : POS109 @ 0.25 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5261
Customer Sample Identifier : POS109 @ 0.25 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	1.94
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	1.94
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5262

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : POS109 @ 0.55 29/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5262
Customer Sample Identifier : POS109 @ 0.55 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5262
Customer Sample Identifier : POS109 @ 0.55 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	1.25
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	1.25
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

TEST REPORT

Report Number: 2026-5263

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG108 @ 0.1 29/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5263
Customer Sample Identifier : PG108 @ 0.1 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5263
Customer Sample Identifier : PG108 @ 0.1 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	1.9
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	1.9
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

TEST REPORT

Report Number: 2026-5264

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : PG108 @ 0.3 29/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5264
Customer Sample Identifier : PG108 @ 0.3 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA ^	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5264
Customer Sample Identifier : PG108 @ 0.3 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	1.1
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	1.1
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5265

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : POS104 @ 0.1 29/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5265
Customer Sample Identifier : POS104 @ 0.1 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5265
Customer Sample Identifier : POS104 @ 0.1 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5266

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 01/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : POS104 @ 0.3 29/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5266
Customer Sample Identifier : POS104 @ 0.3 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	1.18
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	1.18
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5266
Customer Sample Identifier : POS104 @ 0.3 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	4.81
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	4.81
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

TEST REPORT

Report Number: 2026-5267

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 02/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : POS104 @ 0.5 29/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5267
Customer Sample Identifier : POS104 @ 0.5 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE ^	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	1.02
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA ^	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5267
Customer Sample Identifier : POS104 @ 0.5 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	6.09
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	6.09
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5268

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 02/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : POS103 @ 0.05 29/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5268
Customer Sample Identifier : POS103 @ 0.05 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	1.08
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5268
Customer Sample Identifier : POS103 @ 0.05 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	3.35
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	3.35
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

TEST REPORT

Report Number: 2026-5269

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 02/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : POS103 @ 0.25 29/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5269
Customer Sample Identifier : POS103 @ 0.25 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5269
Customer Sample Identifier : POS103 @ 0.25 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	3.07
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	3.07
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	1.1
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5270

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 02/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : POS103 @ 0.4 29/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5270
Customer Sample Identifier : POS103 @ 0.4 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA ^	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5270
Customer Sample Identifier : POS103 @ 0.4 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA) ^	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5271

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 02/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : DUPLICATE #05 28/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5271
Customer Sample Identifier : DUPLICATE #05 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	1.06
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	1.06
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5271
Customer Sample Identifier : DUPLICATE #05 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	3.08
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	3.08
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5272

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : ER0040716
Additional Reference: -
Issue : 0
Date of Receipt : 30/09/2026
Date of Analysis : 02/10/2026
Date of Report : 06/10/2026
Sample Type : Soil
Customer Sample Identifier : DUPLICATE #06 29/09/2026
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5272
Customer Sample Identifier : DUPLICATE #06 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA ^	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE ^	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5272
Customer Sample Identifier : DUPLICATE #06 29/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	2.63
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	2.63
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	1.47
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5307 TOPA

Customer Name :	Stantec UK Limited
Customer Address :	Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number :	ER0040716
Additional Reference:	-
Issue :	0
Date of Receipt :	30/09/2026
Date of Analysis :	07/10/2026
Date of Report :	13/10/2026
Sample Type :	Soil
Customer Sample Identifier :	PG104 @ 0.1 28/09/2026
Sample Condition :	Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5307 TOPA
Customer Sample Identifier : PG104 @ 0.1 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Post TOPA Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE ^	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA ^	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA ^	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE ^	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched	1	µg/kg	ND
PFHxS Total	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5307 TOPA
Customer Sample Identifier : PG104 @ 0.1 28/09/2026
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Post TOPA Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched	1	µg/kg	ND
PFOA Total	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched	1	µg/kg	ND
PFOS Total	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA ^	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS	5	µg/kg	ND
8:2 diPAP	5	µg/kg	ND
6:2 FTAB	5	µg/kg	ND
FOUEA	5	µg/kg	ND

ND - not detected

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5368

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Misc. Water
Customer Sample Identifier : HP EQUIPMENT BLANK 02 29/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

Results PFAS

Sample Type : Misc. Water
Test Report Number : 2026-5368
Customer Sample Identifier : HP EQUIPMENT BLANK 02 29/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	2	ng/l	ND
4:2 FTSA; 4:2 FTS	1	ng/l	ND
PFecHS	1	ng/l	ND
5:3 FTCA	2	ng/l	ND
6:2 FTSA; 6:2 FTS	1	ng/l	ND
7:3 FTCA	2	ng/l	ND
8:2 FTSA; 8:2 FTS ^	1	ng/l	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	ng/l	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	ng/l	ND
DONA; ADONA	1	ng/l	ND
EtFOSE	1	ng/l	ND
FBSA	1	ng/l	ND
FHxSA	1	ng/l	ND
HFPO-DA (Gen X)	1	ng/l	ND
HFPO-TA	1	ng/l	ND
EtFOSA; N-EtFOSA ^	1	ng/l	ND
NEtFOSAA; EtFOSAA	1	ng/l	ND
NFDHA	1	ng/l	ND
MeFOSA; N-MeFOSA ^	1	ng/l	ND
NMeFOSAA; MeFOSAA	1	ng/l	ND
MeFOSE	1	ng/l	ND
PFBA	1	ng/l	ND
PFBS	1	ng/l	ND
PFDA	1	ng/l	ND
PFDoA	1	ng/l	ND
PFDoS	1	ng/l	ND
PFDS	1	ng/l	ND
PFEESA	1	ng/l	ND
PFHpA	1	ng/l	ND
PFHpS	1	ng/l	ND
PFHxA	1	ng/l	ND
PFHxDA	1	ng/l	ND
PFHxS Linear	1	ng/l	ND
PFHxS Branched	1	ng/l	ND
PFHxS Total	1	ng/l	ND
PFMOBA	1	ng/l	ND
PFMOPrA	1	ng/l	ND
PFNA	1	ng/l	ND
PFNS	1	ng/l	ND

Results PFAS

Sample Type : Misc. Water
Test Report Number : 2026-5368
Customer Sample Identifier : HP EQUIPMENT BLANK 02 29/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	ng/l	ND
PFOA Branched	1	ng/l	ND
PFOA Total	1	ng/l	ND
PFODA	1	ng/l	ND
PFOS Linear	1	ng/l	ND
PFOS Branched	1	ng/l	ND
PFOS Total	1	ng/l	ND
FOSA (PFOSA)	1	ng/l	ND
PFPeA	1	ng/l	ND
PFPeS	1	ng/l	ND
PFTeA	1	ng/l	ND
PFTrDA (PFTriA)	1	ng/l	ND
PFUdA; PFUnA	1	ng/l	ND
PFUnDS	1	ng/l	ND
PFTrDS	5	ng/l	ND
8:2 diPAP ^	5	ng/l	ND
6:2 FTAB	5	ng/l	ND
FOUEA	5	ng/l	ND

ND - not detected

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5369

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Misc. Water
Customer Sample Identifier : HP EQUIPMENT BLANK 03 30/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

Results PFAS

Sample Type : Misc. Water
Test Report Number : 2026-5369
Customer Sample Identifier : HP EQUIPMENT BLANK 03 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	2	ng/l	ND
4:2 FTSA; 4:2 FTS	1	ng/l	ND
PFecHS	1	ng/l	ND
5:3 FTCA	2	ng/l	ND
6:2 FTSA; 6:2 FTS	1	ng/l	ND
7:3 FTCA	2	ng/l	ND
8:2 FTSA; 8:2 FTS	1	ng/l	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	ng/l	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	ng/l	ND
DONA; ADONA	1	ng/l	ND
EtFOSE	1	ng/l	ND
FBSA	1	ng/l	ND
FHxSA	1	ng/l	ND
HFPO-DA (Gen X)	1	ng/l	ND
HFPO-TA	1	ng/l	ND
EtFOSA; N-EtFOSA	1	ng/l	ND
NEtFOSAA; EtFOSAA	1	ng/l	ND
NFDHA	1	ng/l	ND
MeFOSA; N-MeFOSA	1	ng/l	ND
NMeFOSAA; MeFOSAA	1	ng/l	ND
MeFOSE	1	ng/l	ND
PFBA	1	ng/l	ND
PFBS	1	ng/l	ND
PFDA	1	ng/l	ND
PFDoA	1	ng/l	ND
PFDoS	1	ng/l	ND
PFDS	1	ng/l	ND
PFEESA	1	ng/l	ND
PFHpA	1	ng/l	ND
PFHpS	1	ng/l	ND
PFHxA	1	ng/l	ND
PFHxDA	1	ng/l	ND
PFHxS Linear	1	ng/l	ND
PFHxS Branched	1	ng/l	ND
PFHxS Total	1	ng/l	ND
PFMOBA	1	ng/l	ND
PFMOPrA	1	ng/l	ND
PFNA	1	ng/l	ND
PFNS	1	ng/l	ND

Results PFAS

Sample Type : Misc. Water
Test Report Number : 2026-5369
Customer Sample Identifier : HP EQUIPMENT BLANK 03 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	ng/l	ND
PFOA Branched	1	ng/l	ND
PFOA Total	1	ng/l	ND
PFODA	1	ng/l	ND
PFOS Linear	1	ng/l	ND
PFOS Branched	1	ng/l	ND
PFOS Total	1	ng/l	ND
FOSA (PFOSA)	1	ng/l	ND
PFPeA	1	ng/l	ND
PFPeS	1	ng/l	ND
PFTeA	1	ng/l	ND
PFTrDA (PFTriA)	1	ng/l	ND
PFUdA; PFUnA	1	ng/l	ND
PFUnDS	1	ng/l	ND
PFTrDS	5	ng/l	ND
8:2 diPAP	5	ng/l	ND
6:2 FTAB	5	ng/l	ND
FOUEA	5	ng/l	ND

ND - not detected

TEST REPORT

Report Number: 2026-5370

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Misc. Water
Customer Sample Identifier : HP EQUIPMENT BLANK 04 01/10/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

Results PFAS

Sample Type : Misc. Water
Test Report Number : 2026-5370
Customer Sample Identifier : HP EQUIPMENT BLANK 04 01/10/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	2	ng/l	ND
4:2 FTSA; 4:2 FTS	1	ng/l	ND
PFecHS	1	ng/l	ND
5:3 FTCA	2	ng/l	ND
6:2 FTSA; 6:2 FTS	1	ng/l	ND
7:3 FTCA	2	ng/l	ND
8:2 FTSA; 8:2 FTS	1	ng/l	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	ng/l	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	ng/l	ND
DONA; ADONA	1	ng/l	ND
EtFOSE	1	ng/l	ND
FBSA	1	ng/l	ND
FHxSA	1	ng/l	ND
HFPO-DA (Gen X)	1	ng/l	ND
HFPO-TA	1	ng/l	ND
EtFOSA; N-EtFOSA	1	ng/l	ND
NEtFOSAA; EtFOSAA	1	ng/l	ND
NFDHA	1	ng/l	ND
MeFOSA; N-MeFOSA	1	ng/l	ND
NMeFOSAA; MeFOSAA	1	ng/l	ND
MeFOSE	1	ng/l	ND
PFBA	1	ng/l	ND
PFBS	1	ng/l	ND
PFDA	1	ng/l	ND
PFDoA	1	ng/l	ND
PFDoS	1	ng/l	ND
PFDS	1	ng/l	ND
PFEESA	1	ng/l	ND
PFHpA	1	ng/l	ND
PFHpS	1	ng/l	ND
PFHxA	1	ng/l	ND
PFHxDA	1	ng/l	ND
PFHxS Linear	1	ng/l	ND
PFHxS Branched	1	ng/l	ND
PFHxS Total	1	ng/l	ND
PFMOBA	1	ng/l	ND
PFMOPrA	1	ng/l	ND
PFNA	1	ng/l	ND
PFNS	1	ng/l	ND

Results PFAS

Sample Type : Misc. Water
Test Report Number : 2026-5370
Customer Sample Identifier : HP EQUIPMENT BLANK 04 01/10/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	ng/l	ND
PFOA Branched	1	ng/l	ND
PFOA Total	1	ng/l	ND
PFODA	1	ng/l	ND
PFOS Linear	1	ng/l	ND
PFOS Branched	1	ng/l	ND
PFOS Total	1	ng/l	ND
FOSA (PFOSA)	1	ng/l	ND
PFPeA	1	ng/l	ND
PFPeS	1	ng/l	ND
PFTeA	1	ng/l	ND
PFTrDA (PFTriA)	1	ng/l	ND
PFUdA; PFUnA	1	ng/l	ND
PFUnDS	1	ng/l	ND
PFTrDS	5	ng/l	ND
8:2 diPAP ^	5	ng/l	ND
6:2 FTAB	5	ng/l	ND
FOUEA	5	ng/l	ND

ND - not detected

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5371

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS107 @ 0.1 TOPSOIL 29/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5371
Customer Sample Identifier : POS107 @ 0.1 TOPSOIL 29/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	1.19
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5371
Customer Sample Identifier : POS107 @ 0.1 TOPSOIL 29/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	1.14
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	1.14
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

TEST REPORT

Report Number: 2026-5372

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS107 @ 0.3 SUBSOIL 29/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5372
Customer Sample Identifier : POS107 @ 0.3 SUBSOIL 29/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5372
Customer Sample Identifier : POS107 @ 0.3 SUBSOIL 29/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP # ^	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5377

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS101 @ 0.1 TOPSOIL 30/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5377
Customer Sample Identifier : POS101 @ 0.1 TOPSOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	1.30
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5377
Customer Sample Identifier : POS101 @ 0.1 TOPSOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	5.81
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	5.81
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5378

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS101 @ 0.25 SUBSOIL 30/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5378
Customer Sample Identifier : POS101 @ 0.25 SUBSOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5378
Customer Sample Identifier : POS101 @ 0.25 SUBSOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	3.01
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	3.01
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5379

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS102 @ 0.1 SOIL 30/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5379
Customer Sample Identifier : POS102 @ 0.1 SOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	3.45
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	3.45
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5379
Customer Sample Identifier : POS102 @ 0.1 SOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	1.16
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	1.16
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	6.92
PFOS Branched #	1	µg/kg	1.98
PFOS Total #	1	µg/kg	8.9
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

TEST REPORT

Report Number: 2026-5380

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS102 @ 0.4 SOIL 30/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5380
Customer Sample Identifier : POS102 @ 0.4 SOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5380
Customer Sample Identifier : POS102 @ 0.4 SOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	2.2
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	2.2
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5381

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS106 @ 0.1 TOPSOIL 30/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5381
Customer Sample Identifier : POS106 @ 0.1 TOPSOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5381
Customer Sample Identifier : POS106 @ 0.1 TOPSOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

TEST REPORT

Report Number: 2026-5382

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS106 @ 0.3 SUBSOIL 30/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5382
Customer Sample Identifier : POS106 @ 0.3 SUBSOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5382
Customer Sample Identifier : POS106 @ 0.3 SUBSOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

TEST REPORT

Report Number: 2026-5383

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS106 @ 0.5 WEATHERED BEDROCK 30/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5383
Customer Sample Identifier : POS106 @ 0.5 WEATHERED BEDROCK 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5383
Customer Sample Identifier : POS106 @ 0.5 WEATHERED BEDROCK 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP # ^	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5384

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS105 @ 0.1 TOPSOIL 30/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5384
Customer Sample Identifier : POS105 @ 0.1 TOPSOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	1.16
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	1.16
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5384
Customer Sample Identifier : POS105 @ 0.1 TOPSOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	10.1
PFOS Branched #	1	µg/kg	1.43
PFOS Total #	1	µg/kg	11.5
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

TEST REPORT

Report Number: 2026-5385

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS105 @ 0.3 SUBSOIL 30/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5385
Customer Sample Identifier : POS105 @ 0.3 SUBSOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA ^	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	1.81
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	1.81
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5385
Customer Sample Identifier : POS105 @ 0.3 SUBSOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	5.41
PFOS Branched #	1	µg/kg	1.4
PFOS Total #	1	µg/kg	6.81
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP # ^	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5386

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4
Cumberland Place
Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : DUPLICATE 10 SOIL 30/09/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5386
Customer Sample Identifier : DUPLICATE 10 SOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS ^	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA ^	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5386
Customer Sample Identifier : DUPLICATE 10 SOIL 30/09/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	ND
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	ND
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

^ The recovery of ES standard either <70% or >130%

NB - The above does not affect the results as recoveries % within EPA1633 method range.

TEST REPORT

Report Number: 2026-5392

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS108 @ 0.1 TOPSOIL 01/10/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5392
Customer Sample Identifier : POS108 @ 0.1 TOPSOIL 01/10/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5392
Customer Sample Identifier : POS108 @ 0.1 TOPSOIL 01/10/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	1.17
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	1.17
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited

TEST REPORT

Report Number: 2026-5393

Customer Name : Stantec UK Limited
Customer Address : Seventh Floor, White Building, 1-4 Cumberland Place Southampton, SO15 2NP
Order Number : TBC
Additional Reference: HEYFORD PARK
Issue : 0
Date of Receipt : 02/10/2026
Date of Analysis : 06/10/2026
Date of Report : 08/10/2026
Sample Type : Soil
Customer Sample Identifier : POS108 @ 0.3 SUBSOIL 01/10/26
Sample Condition : Conforming

Comments:
Any opinions or interpretations are outside the laboratory's scope of accreditation. The results included within the report are representative of the samples submitted for analysis and are expressed on as received basis, unless otherwise stated. This certificate shall not be reproduced, except in full, without the prior written approval of VLS. Customer name, address, order number, additional reference and sample identifier as provided by the customer.

Approved by : Karolina Pettit
Position : Director

Signature : K. Pettit

UKAS TESTING
26667

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5393
Customer Sample Identifier : POS108 @ 0.3 SUBSOIL 01/10/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
3:3 FTCA	1	µg/kg	ND
4:2 FTSA; 4:2 FTS	1	µg/kg	ND
PFecHS	1	µg/kg	ND
5:3 FTCA	1	µg/kg	ND
6:2 FTSA; 6:2 FTS	1	µg/kg	ND
7:3 FTCA	1	µg/kg	ND
8:2 FTSA; 8:2 FTS	1	µg/kg	ND
6:2 Cl-PFESA; 9Cl-PF3ONS	1	µg/kg	ND
8:2 Cl-PFESA; 11Cl-PF3OUdS	1	µg/kg	ND
DONA; ADONA	1	µg/kg	ND
EtFOSE	1	µg/kg	ND
FBSA	1	µg/kg	ND
FHxSA	1	µg/kg	ND
HFPO-DA (Gen X)	1	µg/kg	ND
HFPO-TA	1	µg/kg	ND
EtFOSA; N-EtFOSA	1	µg/kg	ND
NEtFOSAA; EtFOSAA	1	µg/kg	ND
NFDHA	1	µg/kg	ND
MeFOSA; N-MeFOSA	1	µg/kg	ND
NMeFOSAA; MeFOSAA	1	µg/kg	ND
MeFOSE	1	µg/kg	ND
PFBA	1	µg/kg	ND
PFBS	1	µg/kg	ND
PFDA	1	µg/kg	ND
PFDoA	1	µg/kg	ND
PFDoS	1	µg/kg	ND
PFDS	1	µg/kg	ND
PFEESA	1	µg/kg	ND
PFHpA	1	µg/kg	ND
PFHpS	1	µg/kg	ND
PFHxA	1	µg/kg	ND
PFHxDA	1	µg/kg	ND
PFHxS Linear	1	µg/kg	ND
PFHxS Branched #	1	µg/kg	ND
PFHxS Total #	1	µg/kg	ND
PFMOBA	1	µg/kg	ND
PFMOPrA	1	µg/kg	ND
PFNA	1	µg/kg	ND
PFNS	1	µg/kg	ND

Results PFAS

Sample Type : Soil
Test Report Number : 2026-5393
Customer Sample Identifier : POS108 @ 0.3 SUBSOIL 01/10/26
Sample Condition : Conforming
Test Method : VLS SOP 021

PFAS Compound	MDLs	Units	Conc.
PFOA Linear	1	µg/kg	ND
PFOA Branched #	1	µg/kg	ND
PFOA Total #	1	µg/kg	ND
PFODA	1	µg/kg	ND
PFOS Linear	1	µg/kg	4.16
PFOS Branched #	1	µg/kg	ND
PFOS Total #	1	µg/kg	4.16
FOSA (PFOSA)	1	µg/kg	ND
PFPeA	1	µg/kg	ND
PFPeS	1	µg/kg	ND
PFTeA	1	µg/kg	ND
PFTrDA (PFTriA)	1	µg/kg	ND
PFUdA; PFUnA	1	µg/kg	ND
PFUnDS	1	µg/kg	ND
PFTrDS #	5	µg/kg	ND
8:2 diPAP #	5	µg/kg	ND
6:2 FTAB #	5	µg/kg	ND
FOUEA #	5	µg/kg	ND

ND - not detected

 # Non Accredited